



Cap Pipe Fitting

Zhejiang Bewell Steel Co., Ltd. is a well-known manufacturer and supplier of Bewell® cap pipe fitting, stainless steel pipes and fittings in China, you can be assured that you will be able to purchase customised cap pipe joints from us. High quality cap pipe joints are available for many applications, so if you need them, please get our online service on a wide range of Bewell® stainless steel pipes and tubes promptly.

Product Description

Zhejiang Bewell Steel Co., Ltd. Bewell® cap pipe fittings are widely used in chemical, construction, water supply, drainage, petroleum, light and heavy industry, refrigeration, sanitation, plumbing, fire-fighting, electric power and other basic projects, received the trust and favor of customers at home and abroad.

Parameter(Specification) of the Bewell® Cap Pipe Fitting

Product Name	Bewell® Cap Pipe Fitting
Туре	Elbow, Tee, Reducer, Tube cap, Flange, etc.
Material	Stianless Steel, Nickel Alloy
Standard	GB,AISI,ASTM,DIN,EN,JIS
	Stainless steel 304 / 304L / 310S / 316L / 316Ti / 316LN / 317L / 904L / 2205 / 2507 / 32760 / 253MA / 254SMo / XM-19 / S31803 / S32750 / S32205 / F50 / F60 / F55 / F60 / F61 / F65 etc
	Monel 400 / Monel K-500
	Inconel 600 / Inconel 601 / Inconel 625 / Inconel 617 / Inconel 690 / Inconel 718 / Inconel X-750
Grade	Incoloy A-286 / Incoloy 800 / Incoloy 800H / Incoloy 800HT
	Incoloy 825 / Incoloy 901 / Incoloy 925 / Incoloy 926



	Nimonic 75 / Nimonic 80A / Nimonic 90 / Nimonic 105 / Nimonic C263 / L-605
	Hastelloy B / Hastelloy B-2 / Hastelloy B-3 / Hastelloy C / Hastelloy C-276 / Hastelloy C-22
	Hastelloy C-4 / Hastelloy C-2000 / Hastelloy G-35 / Hastelloy X / Hastelloy N
	PH stainless steel 15-5PH / 17-4PH / 17-7PH
Specification	Standard: OD: DN15~2000 THICHNESS: SCH10/10S SCH20 SCH30 SCHSTD SCH40/40S SCH60 SCH60 SCHXS SCH80/80S SCH100 SCH120 SCH140 SCH160 SCHXXS SCH5S
	Nonstandard
Application	Chemical, Pharmaceutical & Bio-Medical, Petrochemical & Refinery, Environmental, Food Processing, Aviation, Chemical Fertilizer, Sewage Disposal, Desalination, Waste Incineration etc.
Inspection	ISO,SGS,BV and so on
Delivery Time	7-40 days
Packaging	Waterproof polybag, wooden box
Payment	T/T, L/C,D/A,D/P, Western Union,MoneyGram,According to customer requirements payments for offline orders.
Sample	Free

Feature and application of the Bewell® Cap Pipe Fitting

Features:

Good resistance to pore corrosion Good overall mechanical properties Good solderability High heat transfer efficiency

Application scenarios:

Chemical, Pharmaceutical & Bio-Medical, Petrochemical & Refinery, Environmental, Food Processing, Aviation, Chemical Fertilizer,

Sewage Disposal, Desalination, Waste Incineration etc.



PRODUCT APPLICATION

INFORMATION >











Details of the Bewell® Cap Pipe Fitting























FAQ:

1. who are we?

We are based in Zhejiang, China, start from 2017,sell to North America(1.00%),South America(1.00%),Eastern Europe(1.00%),Southeast Asia(1.00%),Africa(1.00%),Oceania(1.00%),Mid East(1.00%). There are total about 101-200 people in our office.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.



3.what can you buy from us?

Thread fitting, Sanitary grade fitting, Sanitary Valve, Flanges, Bend head.

4. why should you buy from us not from other suppliers? We have 20 years experience in production and sales.

5. what services can we provide?

Accepted Delivery Terms: Small orders will be chosen by express, by the airline. Large orders will be chosen by sea. It will according to the customer's request.

Accepted Payment Currency: USD&RMB

Accepted Payment Type: T/T, L/C, West Union.

Language Spoken: English, Chinese

6.whether the price of products is selling price?

If it's custom products, the price of products excludes taxes and freight. If it is directly ordered products, we conclude the

business on FOB basis .